

StarLogo Nova Activity: Catching Flies

You will create a simulation in which a Frog moves around and eats Flies that are whizzing by. There are also several extensions to: make the Frog grow each time it eats a fly, create a widget that keeps track of how many Flies the Frog has eaten, allow the user to control the movement, and more.

Prerequisites:

- Navigating to profile
- Creating a new project
- Naming a project
- Navigating to Workspace and SpaceLand
- Dragging blocks
- Creating Agents
- What a Page is and how to use different Pages
- Connecting blocks
- Associating buttons with their blocks

Learning Objectives:

- Explain the difference between placing blocks within the “do” portion of a “create___do” block and outside of it
- Explain what agent traits are and how to change these
- Describe how agents interact with each other
- Create a new breed
- Toggle Edit Widgets mode

New Terms:










- Breeds
- Remix
- Socket

New Blocks:

- "Set my ___ to ___" (**Traits**)
 - Color
 - Built-in Shape
- "Scatter" (**Agents**)
- "While ___ toggled" (**Interface**)
- "On collision with ___ do" (**Detection**)
- "Delete" (**Agents**)


Blocks Reference Table:


Below are the blocks you will use in Catching Flies. Feel free to read about them, but it is not necessary. The rest of this tutorial will take you step-by-step through building the project.


Block	Drawer	What the block does
"when __ pushed" 	Interface	Tells the agent what to do when the chosen push button is clicked.
"while __ toggled" 	Interface	Executes commands (in a forever loop) when the toggle button widget is turned on. When the toggle button widget is turned off, the commands in this block don't run. Widgets can be created using the Edit Widgets feature.
"delete everyone" 	Agents	Deletes all agents in SpaceLand.
"create __ do" 	Agents	Creates the specified number of agents of the chosen breed. Each newly created agent immediately follows the directions the block makes them "do".
"set my __ to __" 	Traits	Changes the agent's trait to some value. The trait is chosen from the drop down menu and includes color, shape, size, etc.
"color: __" 	Traits	Represents a specific color chosen from the drop down menu.
"built-in shape: __" 	Traits	Represents a specific built-in shape chosen from the drop down menu.
"forward __" 	Movement	Tells the agent how many steps to take during each tick
"on collision with __ do" 	Detection	Tells the agents what to do when it bumps into an agent of the chosen breed.
"delete" 	Agents	Deletes the agent

Part 1: Create new project and add new Breeds


In this section, you will create the two agent “breeds” (types of agents) that exist in the project: Flies and Frogs.

	<p>1. Create a new project</p> <ul style="list-style-type: none"> • Navigate to your profile • Create a new blank project and title it “Catching Flies”. • Your project will save automatically
---	---

	<p>2. Rename an existing breed</p> <ul style="list-style-type: none"> • Click the “Edit Breeds” button in SpaceLand. • After that, a new menu will pop up showing the existing breeds. • On that menu click the “Rename” button next to “Turtle”. • Type “Frog” in the “Rename to” textbox and click OK. • Do not close the “Edit Breeds” menu.
--	---

	<p>3. Add and name a new breed</p> <ul style="list-style-type: none"> • On the “Edit Breeds” menu click the “Add Breeds” button. • Name your breed “Flies”
---	---

More info: A breed is a category of agents. All agents of a specific breed share the same traits and follow the same instructions.


	<p>4. Check your progress</p> <ul style="list-style-type: none">• Scroll down to the Workspace• You should see tabs for "Flies" and "Frog" plus the default "Everyone" and "The World" tabs
---	---

More info: The page you drag a block onto determines what breed(s) will run that block; therefore, where you put the blocks makes a difference in what your program will do.


"The World" is an agent that controls the environment. Like any other agent it can have traits and can run code. It always exists; you cannot create it nor delete it. The World creates the first agents.

Part 2: Setup - Clear SpaceLand

In this section you will program code so that each time you click the "setup" button, SpaceLand will reset.




1. Create new block
 - Click "The World" tab to display "The World" page
 - Open the **Interface** drawer
 - Drag a "when ____ pushed" block from the **Interface** drawer
 - Select the option "setup" from the drop down menu
 - The "setup" option refers to the "setup" button which is located in SpaceLand



2. Add a new block to an existing one
 - Open the **Agents** drawer.
 - Drag the "delete everyone" block and place it inside the "when ____ pushed" block.

More info: Blocks represent instructions that agents follow. A program is a sequence of commands for agents to follow. To compose a program, blocks are connected to one another. For instance, connecting blocks inside of the "when ____ pushed" block tells the agent what to do when the chosen push button is clicked.




3. Check Your Progress
 - Click the "Run Code" button on the Navigation bar and then the "setup" button located in SpaceLand.
 - The terrain should appear completely green with no agents.

By: MIT Scheller Teacher Education Program. This work is licensed under a [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/), which allows anyone to re-distribute, re-use, and modify, on the condition that the creator is appropriately credited.


Part 3: Setup - Creating Flies

In this section you will create Flies and edit their traits.




1. Create 10 Flies
 - Open the **Agents** drawer.
 - Drag the "create___ do" block into "The World" page and connect it below the "delete everyone" block.
 - Type the number "10" into the empty socket on the "create ___ do" block.
 - Select "Flies" from the drop-down menu in the block.

More info: Each of the newly created agents immediately follows the directions you specify in the "do" section of the "create___ do" block.



2. Set the color of the Flies
 - Open the **Traits** drawer
 - Drag the "set my ___ to ___" block and connect it inside the "do" part of the "create___ do" block.
 - Also get the "color:___" block and place it into the socket on the right hand side of the "set my___ to ___" block.
 - Choose the color black from the drop down menu of the "color ___" block for these 10 Flies.


More info: The "set my ___ to ___" block is used to set or change the traits of the agents. The trait is chosen from the drop down menu and includes color, shape, size, etc. The "color:___" block represents a specific color chosen from the drop down menu. When specifying colors you must use one of the "color" blocks. Agents will not understand typed-in words like red, purple, yellow, etc.



3. Scatter the Flies
 - Open the **Agents** drawer.
 - Drag the "scatter" block and place it below the "set my___ to___" block (which is still inside the "create___ do" block).


By: MIT Scheller Teacher Education Program. This work is licensed under a [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/), which allows anyone to re-distribute, re-use, and modify, on the condition that the creator is appropriately credited.

More Info: The "Scatter" block allows each of the 10 Flies to set its location to a random position in SpaceLand

	<p>4. Check Your Progress</p> <ul style="list-style-type: none">• Click the "Run Code" on the Navigation Bar and then the "setup" button located in SpaceLand.• You should see 10 black Flies (cubes) randomly scattered within SpaceLand.
---	--

Part 4: Setup - Creating a Frog


In this section, you will create a Frog and edit its traits.



1. Create a Frog

- Drag another "create ___ do" block from the **Agents** drawer and connect it underneath (NOT inside) the first "create ___ do" block.


More info: The "create 1 Frog" block should be placed directly beneath the "create 10 Flies" block. If you accidentally place the "create 1 Frog" inside the "create 10 Flies" block, each of the 10 Flies will create 1 Frog. This will result in 10 Frogs.



2. Set the Frog's color, size, and shape

- Open the **Traits** drawer.
- Use three "set my ___ to ___" block(s) to change the following traits of the Frog: size, shape, and color.
- Use the "color" block to set the color of the Frog to green.
- Type the size of the Frog to be 5.
- Use the "built-in shape" block to set the shape of the Frog to Pyramid.

More info: By default, the size of the agents is set to 1, the shape of the agents is set to Cube, and the color of the agents is set to white, unless you specify otherwise.





3. Check your progress

- Click the “Run Code” button on the Navigation bar and then the "setup" button located in SpaceLand.
- You should see a green Frog (pyramid) appear in the middle, and 10 smaller black Flies appear scattered around SpaceLand.


Part 5: Creating and Editing Widgets

In this section, you will create new button widgets - "Fly Around" and "Catch Flies!". In the next section you will assign functions to these buttons.

	<ol style="list-style-type: none"> 1. Rename the "forever" button to say "Fly Around" <ul style="list-style-type: none"> • Click on the "Edit Widgets" button on the green bar above SpaceLand. • Double click on the "forever" button text so that a "Rename Widget" box appears. • Type in "Fly Around" and click Accept. • Stay in the "Edit Widget" mode.
---	---

	<ol style="list-style-type: none"> 2. Create a new Toggle Button Widget <ul style="list-style-type: none"> • Click the "New Widget" button. • Name this new widget "Catch Flies!" • Before clicking "Add Widget," make sure that "Toggle Button" is selected. The click "Add Widget". • You can arrange the buttons while in Edit Widget mode by dragging them to a new location. • To exit the "Edit Widget" mode just click on the "Edit Widget" button again.
--	---


More Info: There is a large variety of widgets. You will frequently use "Toggle Button" and "Push Button" to control your program. Other options such as "Labels" and "Graphs" allow you to display information to the user. "Data Boxes" and "Sliders" can be used to either display information or take input from the user. Blocks used to interact with these widgets are in the Interface drawer.

	<ol style="list-style-type: none"> 3. Check Your Progress <ul style="list-style-type: none"> • In SpaceLand, there should be four widgets: "Catch Flies!", "Fly Around", "setup", and "score". <ul style="list-style-type: none"> ○ <i>If you cannot see one of your widgets, this could mean one widget is on top of another. Go onto the "Edit Widget" Mode and move your widgets around to check they are not overlapping.</i>
---	--


By: MIT Scheller Teacher Education Program. This work is licensed under a [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/), which allows anyone to re-distribute, re-use, and modify, on the condition that the creator is appropriately credited.

Part 6: Fly Movement


In this section, you will make the Flies move around SpaceLand

	<p>1. Program the Flies Agents.</p> <ul style="list-style-type: none"> Go to the "Flies" page in Workspace. Open the Interface drawer. Drag out the "while__ toggled" block and select the "Fly Around" option from the drop-down menu.
---	--

More Info: The "while__ toggled" block tells the Flies what to do while the specified toggle button is toggled on.


	<p>2. Program Flies' Movement.</p> <ul style="list-style-type: none"> Open the Movement drawer. Drag a "forward" block and connect it in your "while__ toggled" block. Type "1" in the socket of the "forward" block.
---	--


More Info: The "1" tells each Flies agent to take 1 step during each tick (The StarLogo clock ticks 5 times per second when it is running at 1x speed). A higher number of steps will make it appear as though the Flies are moving faster.


	<p>3. Check your progress</p> <ul style="list-style-type: none"> Click the "Run Code" button on the Navigation bar and then the "setup" button and finally the "fly around" button located in SpaceLand Your Flies should be moving around SpaceLand. Click "Fly Around" again to stop the movement.
---	--

Part 7: Frog Movement

In this section, you will make the Frog move around SpaceLand

	<p>1. Program the Frog Agents.</p> <ul style="list-style-type: none"> Go to the "Frog" page in Workspace. Open the Interface drawer. Drag out the "while ___ toggled" block and select the "Catch Flies!" option from the drop-down menu.
---	--


	<p>2. Program the Frog's Movement</p> <ul style="list-style-type: none"> Open the Movement drawer Drag the "forward" block and place it inside the "while ___ toggled" block Type 3 in the socket of the "forward" block so that the Frog can move faster than the Flies.
---	--

	<p>3. Check your progress</p> <ul style="list-style-type: none"> Click "Run Code", "setup", "Fly Around" and "Catch Flies" You should see your Flies moving around SpaceLand and your Frog should be moving from side to side across SpaceLand because your Frog starts out facing right.
--	--

More info: Right now, if a Fly collides with your Frog nothing happens. In the next part we will create the code for a collision between the Frog and the fly. By doing so, the Frog will "eat" the fly when they collide.

Part 8: Collisions


In this section you will write code so that when the Frog and a Fly collide, the Frog "eats" the Fly.



1. Program the Collision.

- Navigate to the Flies Page.
- Open the **Detection** drawer.
- Drag the "on collision with ___" block onto the page and place it next to your other code.
- Select "Frog" from the drop down menu to indicate who the Flies will be colliding with.


More info: The "on collision with ___" block tells the agent whose page it is, in this case the Flies, what to do when they bump into an agent of the selected breed, in this case the Frog.



2. Program the "getting eaten" of the Fly

- Navigate to the **Agents** page.
- Drag the "delete" block into the "on collision with ___" block.

More info: The "delete" block tells the agent to delete itself. In this case, since the "on collision with ___" block is on the Flies page, it is the Flies agent that deletes itself.



3. Check Your Progress

- Click "Run Code", "setups", "Fly Around" and "Catch Flies" widgets.
- You should be able to see Flies agents disappear as they collide with the Frog agent.
- Click "Fly Around" and "Catch Flies" to stop the simulation.


Part 9: Exit Ticket

The purpose of the exit ticket is to check your understanding and review what you've learned during this activity. There are two parts and you can do either one or both. One part consists of several programming tasks. The other part consists of a few concept questions, which you discuss with a partner.

Programming tasks

- You may want to REMIX (make a copy of) your project before you attempt these tasks so that you are working from another copy of the project.
- Complete each task. Try each task on your own first. You may ask clarifying questions or for hints. Although it should be self-evident if you're able to complete these tasks, feel free to ask a facilitator to check your solutions.

When finished with the tasks, click Save.



Catching Flies Concept Questions

Concept Question #1

You want to create 5 Turtle agents that are black and Cube shaped. They will also move forward 3 steps from the origin.

With your partner, look at the following two codes and answer the questions below.

- Which code is correct?
- Why is it correct and what makes the other piece wrong?
- What would happen if you run the wrong piece of code?

Code #1

```

when setup pushed
  delete everyone
  create 5 Turtle (s)
  do
    set my shape to built-in shape: Cube
    set my color to color: black
    forward 3
  
```

Code #2

```

when setup pushed
  delete everyone
  create 5 Turtle (s)
  do
    set my shape to built-in shape: Cube
    set my color to color: black
    forward 3
  
```

Concept Question #2

You want to program the Fly to be “eaten” when it comes in contact with the Frog.

With your partner, look at the following two codes and answer the questions below.

- Which code is correct?
- Why is it correct and what makes the other piece wrong?
- What would happen if you run the wrong piece of code?

Code #1

Turtle Frog Flies Everyone The World

```

on collision with Flies
  do
    delete
  
```

Code #2

Turtle Frog Flies Everyone The World

```

on collision with Frog
  do
    delete
  
```

Part 10: Extensions

Try some extensions from the list below to develop your simulation. The extensions tend to progress from easy to hard tasks. Some of them require new skills and blocks that you have not used before. Please ask for help if you need it. Also, feel free to explore/try different things not included here on your own. Spend as much time as you want on the extensions and when you are ready to move on, consult the roadmap to decide which activity to do next.

- Add more Frogs and make them different colors.
 - CHALLENGE: Do this using one create block.
- Use blocks from the Movement drawer to make the Frogs turn and move around more of SpaceLand.
- Change to the Frog's perspective by telling the Frog to "take camera" when the Frog is created in setup.
- Make a new toggle widget called "Turn left a little" and program a "while ___ toggled" block to make the Frog turn left by a small amount like 5 degrees. Toggle this button on/off while Catch Flies! is toggled on to control the Frog's movement.
- Make the Frog get bigger every time it "eats" a fly.
- Program the score textbox to automatically keep track of how many Flies the Frog has eaten
 - HINT: use a set databox block from the Interface drawer.